

Check List of Weevils from Korea  
(Coleoptera: Curculionoidea)

Yong Jung KWON\* and Seung-Mo LEE\*\*

\*Department of Agricultural Biology, College of Agriculture,  
Kyungpook National University, Taegu 635, Korea.

\*\*The Division of Entomology, National Science Museum, Seoul 110, Korea.

ABSTRACT

A total of 222 species belonging to 117 genera under 5 families of Korean Curculionoidea sensu stricto are listed, among them 72 species are newly added for Korean fauna.

INTRODUCTION

Taxonomic works on the superfamily Curculionoidea excluding Platypodidae and Scolytidae from Korea have been insufficiently and sporadically conducted despite of the agricultural and silvicultural importance.

So, the authors intend to revise not only all the known taxa but also further hitherto unknown in Korea based on the long series of collections of Department of Agricultural Biology, Kyungpook Nat. University, The Division of Entomology, National Science Museum, and Department of Entomology, Institute of Agricultural Sciences, ORD.

In the present paper the authors add 72 species unknown from Korea hitherto, and thus totally 222 species belonging to 117 genera under 5 families are arranged as a provisional result.

An extensive monographic volume for easy of use will be published a several years later upon the availability of funding support.

Before going further, the first author expresses his cordial gratitudes to Prof. Dr. T. Nakane, Kagoshima University, Japan, for his warmful kindness in various ways.

SYSTEMATICS

Superfamily CURCULIONOIDEA

Family I. ATTELABIDAE

Subfamily RHYNCHITINAE

Tribe Auletini

Genus 1. *Auletobius* Desbrochers, 1869

Subgenus *Parauletes*

1. *Auletobius (Parauletes) puberulus* (Faust, 1882)

Deutsch. Ent. Zeitschr. 26(2):283.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu), U.S.S.R. (Kuriles, Maritime territory).

Tribe Byctiscini

Genus 2. *Byctiscus* Thomson, 1859

Subgenus *Byctiscus*

2. *Byctiscus* (s. str.) *fausti* Sharp, 1889

Trans. Ent. Soc. Lond.:60.

*Byctiscus gibbistrostris* Schilsky, 1906, Kaef. Eur. 42:85.

Distribution: Korea (Central, Chejudo), Japan (Honshu, Shikoku, Kyushu).

3. *Byctiscus* (s. str.) *princeps* (Solsky, 1872)

Hor. Soc. Ent. Ross. 8:284-286.

*Rhynchites regalis* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:142.

Distribution: Korea (North, Central), Japan (Honshu, Shikoku, Kyushu), China (Manchuria, Shansi), U.S.S.R. (E.Siberia).

\* This species is sympatric in C. Korea with *B. puberulus*.

4. *Byctiscus* (s. str.) *puberulus* (Motschulsky, 1860)

Schrenck's Reis. & Forsch. Am. 2:170.

*Rhynchites congener* Jekel, 1860, Ins. Saund. 2:224.

*Rhynchites motschulsky* Lewis, 1879, Cat. Col. Jap. Arch.:1607.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (E. Siberia, Kuriles, Maritime Territory, Sachalin).

5. *Byctiscus* (s. str.) *rugosus* (Gebler, 1830)

Reis. Alt.-Gebr. 2(3):146.

Distribution: Korea (Central), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (Altai, Sachalin, Siberia), Mongolia.

6. *Byctiscus* (s. str.) *venustus* (Pascoe, 1875)

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Ann. Mag. Nat. Hist. 4, 15:393.

*Rhynchites haroldi* Roelofs, 1879, Ann. Soc. Ent. Belg. 22:53.

*Byctiscus reversus* Sharp, 1889, Trans. Ent. Soc. Lond.:60.

*Byctiscus hime* Kôno, 1929, Trans. Sapp. Nat. Hist. Soc. 11:53.

Distribution: Korea (Central), Japan (whole).

Genus 3. *Aspidobyctiscus* Schilsky, 1903

7. *Aspidobyctiscus lacunipennis* (Jekel, 1860)

Ins. Saund. 2:225.

*Byctiscus (Aspidobyctiscus) lacunipennis amurensis* Voss, 1931, Kol. Rundsch. 16:223.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria, Taiwan), U.S.S.R. (E.Siberia).

Tribe Deporaini

Subtribe Eugnamptina.

Genus 4. *Eugnamptus* Schoenherr, 1893

8. *Eugnamptus amurensis* (Faust, 1882)

Deutsch. Ent. Zeitschr. 26(2): 285-287.

*Eugnamptus fragilis* Sharp, 1889, Trans. Ent. Soc. Lond.:69.

*Eugnamptus gracilicornis* Schilsky, 1906, Käf. Eur. 42:81.

Distribution: Korea (Central), Japan (whole), U.S.S.R. (Kuriles, Maritime Territory).

Genus 5. *Aderorhinus* Sharp, 1889

9. *Aderorhinus crioceroides* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:147.

Distribution: Korea (South ?), Japan (Honshu, Shikoku, Kyushu), Burma.

Subtribe Deporaina

Genus 6. *Deporaus* Leach, 1819

Subgenus *Deporaus*

10. *Deporaus* (s. str.) *unicolor* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:149.

Distribution: Korea (Central, South), Japan (whole), U.S.S.R. (Kuriles, Maritime Territory).

Subgenus *Hypodeporaus*

11. *Deporaus (Hypodeporaus) minimus* Kôno, 1928

Ins. Mats. 2:175.

Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu).

Genus 7. *Chokkirius* Kôno, 1929

12. *Chokkirius truncatus* (Sharp, 1889)

Trans. Ent. Soc. Lond.:67.

*Rhynchites* (*Deporaus*) *Rosti* Schilsky, 1906, Käf. Eur. 42:79.

Distribution: Korea (new record: Central, South), Japan (whole), U.S.S.R. (Kuriles).

Genus 8. *Depasophilus* Voss, 1922

13. *Depasophilus illibatus* (Voss, 1920)

Deutsch. Ent. Zeitschr. 1920(1,2):166-167.

Distribution: Korea (North), Japan (Tsushima).

14. *Depasophilus koreanus* Voss, 1929

Ent. Blätt. 25:28.

Distribution: Korea (North ?), China (Manchuria), U.S.S.R. (Maritime Territory).

Tribe Rhynchitini

Genus 9. *Involvulus* Seidlitz, 1891

15. *Involvulus cupreus* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):379.

*Attelabus aeneus* Latreille, 1804, Hist. Crust. Ins. 11:89.

*Rhynchites Dybofskyi* Faust, 1882, Deutsch. Ent. Zeitschr. 26(2):289.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Sachalin, Siberia), Europe.

16. *Involvulus gansenensis* (Voss, 1920)

Deutsch. Ent. Zeitschr. 1920(1,2):164-165.

Distribution: Korea (North).

17. *Involvulus plumbeus* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:143.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China.

18. *Involvulus rugosicollis* (Voss, 1920)

Deutsch. Ent. Zeitschr. 1920(1,2):165-166.

*Rhynchites* (*Involvulus*) *mandli* Voss, 1920, Kol. Rundsch. 17:192.

Distribution: Korea (North), China (Manchuria, Shansi), U.S.S.R. (maritime Territory, Siberia).

Genus 10. *Mecorhis* Billberg, 1820

19. *Mecorhis ursulus* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:142.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

Genus 11. *Rhynchites* Schneider, 1791

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

20. *Rhynchites foveipennis* Fairmaire, 1888  
Rev. d'Ent. 7:136.  
*Rhynchites koreanus* Kôno, 1926, Trans. Nat. Hist. Soc. Form. 16(84):89-91.  
Distribution: Korea (Central), China (N. Manchuria).
21. *Rhynchites heros* Roelofs, 1874  
Ann. Soc. Ent. Belg. 17:141.  
Distribution: Korea (Central, South), Japan (whole), China (Manchuria), U.S.S.R. (Maritime Territory).

Subfamily ATTELABINAE

Tribe Apoderini

Genus 12. *Paroplapoderus* Voss, 1926

Subgenus *Paroplapoderus*

22. *Paroplapoderus* (s. str.) *turbidus* Voss, 1926  
Stett. Ent. Zeitschr. 87:63.  
*Paroplapoderus* (s. str.) *turbidus* f. *funerula* Voss, 1926, Ibid. 87:64.  
Distribution: Korea (North), China (Manchuria, Shansi, Shantung).
23. *Paroplapoderus* (s. str.) *vanvolxemi* (Roelofs, 1875)  
Ann. Soc. Ent. Belg. 18:131.  
*Apoderus tuberculatus* Harold, 1878, Deutsch. Ent. Zeitschr. 17:85.  
*Apoderus vitticeps* var. *tristis* Schilsky, 1903, Käf. Eur. 40:73.  
*Paroplapoderus japonicus* Voss, 1926, Stett. Ent. Zeitg. 87:62.  
*Paroplapoderus ulmi* Kôno, 1929, Trans. Sapp. Nat. Hist. Soc. 9:56.  
Distribution: Korea (South), Japan (Hokkaido, Honshu, Kyushu).

Subgenus *Eurycapoderus*

24. *Paroplapoderus* (*Eurycapoderus*) *angulipennis* (Kolbe, 1886)  
Arch. f. Nat. 52(1):215, pl.11(37).  
Distribution: Korea (Central, South), China.

Genus 13. *Phymatapoderus* Voss, 1926

25. *Phymatapoderus latipennis* (Jekel, 1860)  
Ins. Saund. 2:179.  
*Apoderus flavimatus* Motschulsky, 1860, Schrenk's Reis. & Forsch. Am. 2:171  
*Apoderus subornatus* Sharp, 1889, Trans. Ent. Soc. Lond.:49.  
Distribution: Korea (new record: Central, South), Japan (Hokkaido), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory, Sachalin, Siberia).
26. *Phymatapoderus pavens* Voss, 1926  
Stett. Ent. Zeitg. 87:74.

Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu).

Genus 14. *Apoderus* Olivier, 1807

Subgenus *Apoderus*

27. *Apoderus* (s. str.) *coryli* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):384.

*Curculio collaris* Scopoli, 1763, Ent. Carn.:25.

*Apoderus kamtschaticus* Motschulsky, 1845, Bull. Soc. Imp. Nat. Mosc.:380.

*Apoderus coryli* var. *superans* Faust, 1882, Deutsch. Ent. Zeitschr. 26:95.

Distribution: Korea (North, Central, South, Ullŭngdo), China (Hopeh, Kansu, Manchuria, Shansi, Yunnan), U.S.S.R. (Maritime Territory, Siberia), Europe.

28. *Apoderus* (s. str.) *jekelii* Roelofs, 1874

Ann.Soc. Ent. Belg. 17:132.

*Apoderus Jekelii* var. *rufithorax* Kolbe, 1886, Arch. f. Nat. 52(1):214.

*Apoderus sharpi* Voss, 1922, Deutch. Ent. Zeitschr.:174.

*Apoderus extensus* Voss, 1927, Stett. Ent. Zeit. 88:33.

Distribution: Korea (North, Central, South, Ullŭngdo), Japan (whole), U.S.S.R. (Kuriles, Maritime Territory, Sachalin, Siberia).

29. *Apoderus* (s. str.) *okamotonis* Kôno, 1930

Journ. Fac. Agr. Hokk. Imp. Univ. 29(2):58-59.

Distribution: Korea (Central, South).

Subgenus *Compsapoderus*

30. *Apoderus* (*Compsapoderus*) *erythrogaster* Vollenhoven, 1865

Tijdschr. Dierk. 2:165.

*Apoderus nitens* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:133-134.

*Apoderus rufiventris* Roelofs, 1874, Ibid. 17:135.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu).

31. *Apoderus* (*Compsapoderus*) *erythropterus* (Zschach, 1788)

Mus. Lesk.:23.

*Attelabus intermedius* Illiger, 1794, Schneid. Mag. 1(5):615.

*Attelabus politsu* Gebler, 1825, Humm. Ess. Ent. 4:50.

*Apoderus erythropterus* var. *atricolor* Faust, 1891, Oefv. Finsk. Vet. Soc. forh.:2.

Distribution: Korea (North, Central), China (Mainland, Manchuria), U.S.S.R. (Kuriles, Maritime Territory, Sachalin, Siberia), Europe.

32. *Apoderus* (*Compsapoderus*) *geminus* Sharp, 1889

Trans. Ent. Soc. Lond.:50.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles).

Subgenus *Leptapoderus*

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

33. *Apoderus (Leptapoderus) affinis* Schilsky, 1906  
Käf. Eur. 42:77.  
Distribution: Korea (Central), Japan (Hokkaido), China, U.S.S.R. (Maritime Territory).
34. *Apoderus (Leptapoderus) balteatus* Roelofs, 1874  
Ann. Soc. Ent. Belg. 17:135.  
Distribution: Korea (Central), Japan (whole).
35. *Apoderus (Leptapoderus) carbonicolor* (Motschulsky, 1860)  
Schrenck's Reis. & Forsch. Am. 2:171  
Distribution: Korea (North), U.S.S.R. (Maritime Territory, Siberia).
36. *Apoderus (Leptapoderus) humerosus* Motschulsky, 1860  
Schrenck's Reis. & Forsch. Am. 2:171-172, pl.10(27).  
Distribution: Korea (new record: Central, South), U.S.S.R. (Maritime Territory).
37. *Apoderus (Leptapoderus) praececellens* Sharp, 1889  
Trans. Ent. Soc. Lond.:46.  
Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku).
38. *Apoderus (Leptapoderus) rubidus* Motschulsky, 1860  
Schrenck's Reis. & Forsch. Am. 2:172.  
*Apoderus rufescens* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:133.  
Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China, U.S.S.R. (Maritime Territory, Siberia).

Genus 15. *Cycnotrachelus* Jekel, 1860

39. *Cycnotrachelus coloratus* (Faust, 1882)  
Deutsch. Ent. Zeitschr. 26(2):292-293.  
Distribution: Korea (North), China (Manchuria, Shansi), U.S.S.R. (Maritime Territory).
40. *Cycnotrachelus roelofsi* (Harold, 1877)  
Deutsch. Ent. Zeitschr. 21:358.  
Distribution: Korea (North, Central, South), Japan (whole), U.S.S.R. (Maritime Territory, Siberia).

Genus 16. *Paratrachelophorus* Voss, 1924

41. *Paratrachelophorus longicornis* Roelofs, 1874  
Ann. Soc. Ent. Belg. 17:181.  
Distribution: Korea (North), Japan (whole).

Genus 17. *Paracycnotrachelus* Voss, 1924

42. *Paracycnotrachelus longiceps* (Motschulsky, 1860)

Schrenck's Reis & Fersch. Am. 2:173.

*Apoderus chinensis* Jekel, 1860, Ins. Saund. 2:164.

Distribution: Korea (North, Central, South, Chejudo), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory, Siberia).

Genus 18. *Paracentrocorynus* Voss, 1929

43. *Paracentrocorynus nigricollis* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:131.

*Apoderus* (*Strigapoderus*) *montanus* Roelofs, 1874, Ibid. 17:134.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

44. *Paracentrocorynus quadrimaculatus* (Faldermann, 1835)

Mém. Acad. Sci. St. Pé. 11:419, pl.3(10).

Distribution: Korea (North), China (Manchuria, North), Mongolia.

Genus 19. *Tomapoderus* Voss, 1926

Subgenus *Tomapoderus*

45. *Tomapoderus* (s. str.) *ruficollis* (Fabricius, 1781)

Spec. Ins. 1:200.

*Tomapoderus ruficollis* f. *ruficeps* Voss, 1926, Stett. Ent. Zeit. 87:77, 79.

Distribution: Korea (North, Central, South), China (Manchuria, North), U.S.S.R. (Siberia).

Tribe Attelabini

Genus 20. *Henicolabus* Voss, 1925

46. *Henicolabus giganteus* (Faust, 1882)

Deutsch. Ent. Zeitschr. 26(2):291-292.

Distribution: Korea (North, Central), China (Hopeh, Manchuria), U.S.S.R. (Maritime Territory, Siberia).

47. *Henicolabus lewisii* (Sharp, 1889)

Trans. Ent. Soc. Lond.:53.

*Henicolabus* (*Henicolabus*) *lewisi* f. *maculatus* Kôno, 1927, Ins. Mats. 2:37.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Mainland).

Tribe Euopsini

Genus 21. *Euops* Schoenherr, 1839

Subgenus *Synaptops*

48. *Euops* (*Synaptops*) *lespedezae* Sharp, 1889

Trans. Ent. Soc. Lond.:55.

*Euops splendens* f. *koreana* Voss, 1924, Deutsch. Ent. Zeitschr.:56.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Kuriles, Maritime Territory, Siberia).



Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

49. *Euops (Synaptops) punctatostriata* Motschulsky, 1860  
Ét. Ent. 9:22.  
*Euops punctioclilis* Schilsky, 1906, Käf. Eur. 42:92.  
*Euops aceri* Kôno, 1926, Dôb. Zassh. 38(454):223-224.  
Distribution: Korea (South), Japan (whole).
50. *Euops (Synaptops) splendida* Voss, 1930  
Col. Cat. 110:35.  
*Attelabus splendens* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:139 nom. praeocc.  
Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia).

Family II. ANTHRIBIDAE

Tribe Araecerini

Genus 22. *Araecerus* Schoenherr, 1823

51. *Araecerus fasciculatus* (DeGeer, 1775)  
Ins. 5:276, pl.16(2).  
*Anthribus coffeae* Fabricius, 1801, Syst. El. 2:411.  
*Amblycerus japonicus* Thunberg, 1815, Nov. Act. Ups. 7:122.  
Distribution: Korea (whole), Japan (whole, Tsushima), China, U.S.S.R., Cosmopolitan.

Tribe Anthribini

Genus 23. *Anthribus* Forster, 1771

52. *Anthribus niveovariegatus* Roelofs, 1879  
Ann. Soc. Ent. Belg. 22:55.  
Distribution: Korea (Central, South), Japan (whole).

Tribe Eupariini

Genus 24. *Euparius* Schoenherr, 1823

53. *Euparius oculatus oculatus* (Sharp, 1891)  
Trans. Ent. Soc. Lond.:321.  
*Caccorhinus oculatus* var. *niger* Nakane, 1955, Sci. Rep. Saikyo Univ. 2(A):39.  
Distribution: Korea (Central ?), Japan (whole).

Tribe Platystomini Valentine, 1960

Genus 25. *Platystomos* Schneider, 1791

54. *Platystomos sellatus* Roelofs, 1879  
Deutsch. Ent. Zeitschr. 23:302.  
*Anthribus daimio* Sharp, 1891, Trans. Ent. Soc. Lond.:319.  
Distribution: Korea (Central, South), Japan (whole, Tsushima).

Tribe Sintorini

Genus 26. *Sintor* Schoenherr, 1839

55. *Sintor dorsalis* (Sharp, 1891)

Trans. Ent. Soc. Lond.:300.

*Sintor dorsalis intermedius* Shibata, 1969, Ent. Rev. Jap. 22:14, pl.2(9).

Distribution: Korea (new record: Central, South), Japan (Kyushu, Tsushima\*), China (Taiwan\*).

\* Korean population may referable to ssp. *intermedius* which originally erected for that of Is. Tsushima, but bears a rather variable external character than those of Morimoto's (1980) discrimination, and furthermore either characters of the nominate one or *intermedius* can be seen frequently in Korean material deposited in my collection.

Tribe Acorynini

Genus 27. *Litocerus* Schoenherr, 1833

56. *Litocerus latus* (Sharp, 1891)

Trans. Ent. Soc. Lond.:304.

Distribution: Korea (new record: Central, South), Japan (whole, Tsushima), China (Fukien).

Genus 28. *Tropideres* Schoenherr, 1823

57. *Tropideres naevulus* Faust, 1887

Deutsch. Ent. Zeitschr. 31(1):162-163.

*Tropideres germanus* Sharp, 1891, Trans. Ent. Soc. Lond.:304.

*Tropideres vilis* Sharp, 1891, Ibid.:305.

*Tropideres yezoensis* Oda, 1979, Trans. Shik. Ent. Soc. 14:121.

Distribution: Korea (new record: Central, South, Ullungdo), Japan (whole, Tsushima), U.S.S.R. (Maritime Territory, Siberia).

Tribe Zygaenodini

Genus 29. *Exechesops* Schoenherr, 1846

58. *Exechescops leucopis* (Jordan, 1928)

Nov. Zool. 36:91.

Distribution: Korea (Central, South), Japan (Honshu, Kysuhu, Tsushima), China, Vietnam.

Tribe Corrhecerini

Genus 30. *Gibber* Jordan, 1895

59. *Gibber nodulosus* (Sharp, 1891)

Trans. Ent. Soc. Lond.:308.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Kyushu, Tsushima), U.S.S.R. (Maritime Territory).

Family III. APIONIDAE

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Subfamily APIONINAE

Genus 31. *Apion* Herbst. 1797

Subgenus *Protapion*

60. *Apion* (*Protapion*) *placidum* Faust, 1887

Deutsch. Ent. Zeitschr. 31(1):180.

*Apion lugubre* Faust, 1889, Stett. Ent. Zeitg. 50:224.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Maritime Territory).

Subgenus *Eutrichapion*

61. *Apion* (*Eutrichapion*) *viciae* (Paykull, 1800)

Faun. Succ. 3:181.

*Apion* (*Protapion*) *sapporensis* Kôno. 1927, Trans. Sapp. Nat. Hist. Soc. 9:241.

*Apiotherium* (*Eutrichapion*) *kaszabi* Voss, 1967, Ent. Abh. Mus. Tierk. 34:256.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu, Kyushu), U.S.S.R. (Siberia), Mongolia, Europe.

Subgenus *Pseudopiezotrachelus*

62. *Apion* (*Pseudopiezotrachelus*) *collare* Schilsky, 1906

Käf. Eur. 43:58.

*Apion unicolor* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:129. nom. praecoc.

Distribution: Korea (Central, South, Chejudo), Japan (whole), India.

Subgenus *Perapion*

63. *Apion* (*Perapion*) *violaceum* Kirby, 1808

Trans. Linn. Soc. Lond. 9:65.

Distribution: Korea (new record: Central, South), Japan (Honshu, Kyushu), U.S.S.R. (Siberia), Europe.

Subgenus *Coelorhinapion*

64. *Apion* (*Coelorhinapion*) *protractum* Sharp, 1891

Trans. Ent. Soc. Lond.:294.

Distribution: Korea (South), Japan (Honshu).

Subgenus *Thymapion*

65. *Apion* (*Catapion*) *griseopubescens* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:129.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Subfamily NANOPHYNAE

Genus 32. *Nanophyes* Schoenherr, 1838

66. *Nanophyes marmoratus* (Goeze, 1777)

Ent. Beitr.:413.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

67. *Nanophyes pubescens* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:172.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Family IV. CURCULIONIDAE

Subfamily OTIORHYNCHINAE

Tribe Phyllobiini

Genus 33. *Phyllobius* Germar, 1824

Subgenus *Diallobius*

68. *Phyllobius* (*Diallobius*) *incomptus* Sharp, 1896

Trans. Ent. Soc. Lond.:103.

*Diallobius inornatus* Sharp, 1896, Ibid.:104.

Distribution: Korea (North, Central, South), Japan (Honshu)

69. *Phyllobius* (*Diallobius*) *mundus* (Sharp, 1896)

Trans. Ent. Soc. Lond.:104.

*Phyllobius* (*Subphyllobius*) *Japonicus* Schilsky, 1911, Käf. Eur. 48:11 nom. praeocc.

*Phyllobius schilskyi* Kôno, 1930, Journ. Fac. Agr. Hokk. Imp. Univ. 24:207.

Distribution: Korea (Central), Japan (Honshu).

Subgenus *Metaphyllobius*

70. *Phyllobius* (*Metaphyllobius*) *longicornis* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:166.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu).

71. *Phyllobius* (*Metaphyllobius*) *rotundicollis* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:167.

*Phyllobius nigratus* Sharp, 1896, Trans. Ent. Soc. Lond.:100.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Subgenus *Odontophyllobius*

72. *Phyllobius* (*Odontophyllobius*) *annectens* Sharp, 1896

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Trans. Ent. Soc. Lond.:99.

*Phyllobius daisetsuzanus* Kôno, 1928, Ins. Mats. 2(1):164, pl.6(10).

Distribution: Korea (South), Japan (whole), U.S.S.R. (Kuriles).

Tribe Cyphicerini

Subtribe Ptochina

Genus 34. *Calomycterus* Roelofs, 1873

73. *Calomycterus setarius* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:175.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

Subtribe Myllocerina

Genus 35. *Hyperstylus* Roelofs, 1873

74. *Hyperstylus pallipes* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:172.

Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus, Tsushima).

Genus 36. *Eumyllocerus* Sharp, 1896

75. *Eumyllocerus graciosus* Sharp, 1896

Trans. Ent. Soc. Lond.:109.

Distribution: Korea (Central, South), Japan (Honshu, Kyushu).

Genus 37. *Macrocorynus* Schoenherr, 1826

76. *Macrocorynus elegantulus* (Roelofs, 1873)

Ann. Soc. Ent. Belg. 16:170.

Distribution: Korea (South), Japan (Honshu, Kyushu).

77. *Macrocorynus variabilis* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:168.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

Genus 38. *Myllocerus* Schoenherr, 1826

78. *Myllocerus griseus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:170.

Distribution: Korea (North, Central), Japan (whole).

79. *Myllocerus malignus* Faust, 1891

Hor. Soc. Ent. Ross. 25:9.

Distribution: Korea.

80. *Mylocerus nigromaculatus* Roelofs, 1873.

Ann. Soc. Ent. Belg. 16:169.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

Subtribe Cyphicerina

Genus 39. *Anosimus* Roelofs, 1873

81. *Anosimus decoratus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:174.

*Anosimus pallidus* Roelofs, 1873, Ibid. 16:174.

Distribution: Korea (new record: Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu).

Genus 40. *Cyrtepidomus* Marshall, 1924

82. *Cyrtepidomus castaneus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:168.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), N.America.

Genus 41. *Oedophyrus* Marshall, 1941

83. *Oedophyrus hilleri* (Faust, 1889)

Stett. Ent. Zeit.:222.

Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu).

Tribe Tanymecini

Subtribe Prynina

Genus 42. *Enaptorhinus* Waterhouse, 1853

84. *Enaptorhinus granulatus* Pascoe, 1881

Cist. Ent. 2:588.

Distribution: Korea (North, Central, South), China (North).

Subtribe Tanymecina

Genus 43. *Chlorophanus* Germar, 1824

85. *Chlorophanus auripes* Faust, 1897

Stett. Ent. Zeitschr. 58:94.

Distribution: Korea (Central), Japan (Honshu), China, U.S.S.R. (E.Siberia).

86. *Chlorophanus grandis* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:162.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu, Kyushu).

87. *Chlorophanus sibiricus* Gyllenhal 1834

Gén. Spec. Curc. 2(1):65.

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Distribution: Korea (Central), China (Hopeh, Shansi), U.S.S.R. (Maritime Territory, Siberia).

Genus 44. *Scepticus* Roelofs, 1873

88. *Scepticus griseus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:162.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

89. *Scepticus insularis* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:158.

Distribution: Korea (Central), Japan (whole), U.S.S.R. (Sachalin).

90. *Scepticus uniformis* Kôno, 1930

Journ. Fac. Agr. Hokk. Imp. Univ. 24(5):186-187, pl.1(16).

Distribution: Korea (Central), Japan (Honshu, Kyushu, Shikoku, Ryukus).

Subtribe *Piazomiina*

Genus 45. *Piazomias* Schoenherr, 1840

91. *Piazomias griseistrius* Kolbe, 1886

Arch. f. Nat. 52(1):217.

Distribution: Korea (Central ?).

Genus 46. *Sympiezomias* Faust, 1887

92. *Sympiezomias herzi* Faust, 1891

Hor. Soc. Ent. Ross. 25:5.

Distribution: Korea (Central ?), China.

93. *Sympiezomias lewisi* (Roelofs, 1879)

Ann. Soc. Ent. Belg. 22:53.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Genus 47. *Xylinophorus* Faust, 1885

Subgenus *Meteutinopus*

94. *Xylinophorus* (*Meteutinopus*) *mongolicus* Faust, 1881

Hor. Soc. Ent. Ross. 16:290.

Distribution: Korea (Central), Mongolia.

Tribe *Episomini*

Genus 48. *Episomus* Schoenherr, 1826

95. *Episomus turritus* (Gyllenhal, 1833)

Gen. Spec. Curc. 1(2):613.

*Episomus turritus yamamurai* Kôno, 1928, Ins. Mats. 2(1):166, pl.6(24).

Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China.

Tribe Cneorrhinini

Genus 49. *Dermatoxenus* Marshall, 1916

96. *Dermatoxenus caesicollis* (Gyllenhal, 1833)

Gén. Spec. Curc. 1(2):619.

*Cneorhinus nodosus* Motschulsky, 1860, Ét. Ent. 9:21

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), India.

Genus 50. *Catapionus* Schoenherr, 1842

97. *Catapionus modestus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:156.

Distribution: Korea (Chejudo), Japan (Honshu, Shikoku, Kyushu).

98. *Catapionus obscurus* Sharp, 1896

Trans. Ent. Soc. Lond.:90.

Distribution: Korea (Central, Chejudo), Japan (Honshu).

99. *Catapionus viridimetallicus* Motschulsky, 1860

Ét. Ent. 9:21.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Sachalin, Siberia).

Tribe Polydrosni

Genus 51. *Scythropus* Schoenherr, 1826

100. *Scythropus japonicus* Hustache, 1920

Bull. Soc. Ent. Franc.:116.

Distribution: Korea (South), Japan (Hokkaido, Honshu).

Tribe Blosyrini

Genus 52. *Blosyrus* Schoenherr, 1826

101. *Blosyrus japonicus* Sharp, 1896

Trans. Ent. Soc. Lond.:88.

Distribution: Korea (South), Japan (Hokkaido, Honshu).

Tribe Callirhopalini

Genus 53. *Pseudocneorhinus* Roelofs, 1873

102. *Pseudocneorhinus adamsi* Roelofs, 1879



Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Ann. Soc. Ent. Belg. 22:53.

Distribution: Korea (South), Japan (Honshu), China (Manchuria, Shansi).

103. *Pseudocneorhinus bifasciatus* Roelofs, 1879

Ann. Soc. Ent. Belg. 22:53.

Distribution: Korea (Central, South), Japan (whole), China, N. America.

104. *Pseudocneorhinus obescus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:177.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Kyushu), China, U.S.S.R. (Maritime Territory).

105. *Pseudocneorhinus setosus* Roelofs, 1879

Ann. Soc. Ent. Belg. 22:53.

Distribution: Korea (Central, South), Japan (Honshu, Kyushu), China.

Subfamily BRACHYDERINAE

Genus 54. *Sitona* Germar, 1817

Subgenus *Sitona*

106. *Sitona* (s. str.) *hispidulus* (Fabricius, 1776)

Gén. Ins. Mant.:226.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Kyushu), U.S.S.R., Europe, N.America.

107. *Sitona* (s. str.) *japonicus* (Roelofs, 1873)

Ann. Soc. Ent. Belg. 16:160.

Distribution: Korea (Chejudo), Japan (Honshu, Shikoku, Kyushu).

108. *Sitona* (s. str.) *lineatus* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):385.

Distribution: Korea (new record: South), Japan (Hokkaido), U.S.S.R. (Siberia), Europe.

Genus 55. *Eugnathus* Schoenherr, 1834

109. *Eugnathus distinctus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:179.

*Catachaenus bracteatus* Pascoe, 1874, Journ. Linn. Soc. Zool. 12:23.

*Catachaenus chloroticus* Pascoe, 1874, Ibid. 12:23.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan).

Subfamily TRIGONOCOLINAE

Genus 56. *Trigonocolus* Lacordaire, 1863

110. *Trigonocolus sulcatus* Roelofs, 1874  
 Ann. Soc. Ent. Belg. 17:168.  
*Lystrus elegans* Kôno, 1928, Ins. Mats. 2(1):174, pl.6(16).  
 Distribution: Korea (new record: South), Japan (Honshu, Tsushima), China (Manchuria).
111. *Trigonocolus tibialis* (Kôno, 1928)  
 Ins. Mats. 2(1):175, pl.6(13).  
 Distribution: Korea (new record: South), Japan (Tsushima), China (Taiwan).

Subfamily HYPERINAE

Tribe Hyperini

Genus 57. *Hypera* Germar, 1821

112. *Hypera basalis* (Voss, 1937)  
 Senckenb. 19:265.  
 Distribution: Korea (new record: Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Szetschwan).

Genus 58. *Phacopholus* Roelofs, 1873

113. *Phacopholus major* Roelofs, 1879  
 Ann. Soc. Ent. Belg. 22:53.  
 Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Genus 59. *Aphela*

114. *Aphela gotoi* (Chûjo et Voss, 1960 ?)  
 Mém. Fac. Lib. Arts & Ed. Kagawa Univ. 2(94):1-17 ?  
 Distribution: Korea (new record: South), Japan (Honshu, Kyushu).

Tribe Notarini

Subtribe Notarina

Genus 60. *Dorytomus* Germar, 1817

115. *Dorytomus maculipennis* Roelofs, 1874  
 Ann. Soc. Ent. Belg. 17:124.  
 Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Genus 61. *Echinocnemus* Schoenherr, 1843

116. *Echinocnemus squameus* (Billberg, 1820)  
 Én. Ins.:42.  
*Echinocnemus bipunctatus* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:123.  
 Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan), Indonesia.

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Genus 62. *Procas* Stephens, 1831

117. *Procas biguttatus* Faust, 1882

Deutsch. Ent. Zeitschr. 26(2):275-276.

*Notaris okunii* Kôno, 1930, Ins. Mats. 4:159.

Distribution: Korea (North), Japan (Hokkaido, Honshu), U.S.S.R. (Maritime Territory).

Genus 63. *Notaris* Stephens, 1831

118. *Notaris oryzae* (Ishida, 1902)

Hokk. Nok. 2:90.

*Notaris funebris* Kôno, 1930, Ins. Mats. 4:158.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Kyushu).

Tribe Cyliindrorrhini

Genus 64. *Listroderes* Schoenherr, 1826

119. *Listroderes obliquus costirostris* Klug, 1829

Verz. Vor. Ins.:6.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Taiwan), N. & S.America, Australia.

Subfamily MECYSLOBIINAE

Genus 65. *Mesalcidodes* Voss, 1958

120. *Mesalcidodes saitoi* (Kôno, 1937)

Ins. Mats. 7(1):49.

Distribution: Korea (Central).

121. *Mesalcidodes trifidus* (Pascoe, 1870)

Journ. Linn. Soc. Zool. 10:460.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria, Taiwan).

Genus 66. *Mecyslobus* Reitter, 1905

122. *Mecyslobus erro* (Pascoe, 1873)

Journ. Linn. Soc. Zool. 11:182.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan).

123. *Mecyslobus flavosignatus* (Roelofs, 1875)

Ann. Soc. Ent. Belg. 18:548.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (E.Siberia, Maritime Territory ?).

124. *Mecyslobus nipponicus* (Kôno, 1930)

Ins. Mats. 4:139.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China.

Subfamily PISSODINAE

Tribe Pissodini

Genus 67. *Pissodes* Germar, 1824

125. *Pissodes nitidus* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:121.

Distribution: Korea (Central, South), Japan (whole).

126. *Pissodes obscurus* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:122.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Subfamily CLEONINAE

Tribe Cleonini

Genus 68. *Cleonus* Schoenherr, 1826

127. *Cleonus japonicus* Faust, 1907

Deutsch. Ent. Zeitschr.:237.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honshu, Kyushu).

Genus 69. *Chromoderus* Motschulsky, 1860

128. *Chromoderus declivis* Olivier, 1807

Ent. 5:272, pl.21(288).

Distribution: Korea (South), Japan (Honshu), Mongolia, U.S.S.R. (Siberia).

Genus 70. *Adosomus* Faust, 1907

129. *Adosomus mongolicus* (Faldermann, 1835)

Mém. Acad. Sci. St. Pét. 2:423.

Distribution: Korea (Central ?), Japan (Honshu ?), China, Mongolia.

Tribe Lixini

Genus 71. *Lixus* Fabricius, 1801

130. *Lixus acutipennis* (Roelofs, 1873)

Ann. Soc. Ent. Belg. 16:172.

Distribution: Korea (North, Central, South, Chejudo, Ullŭngdo), Japan (Honshu, Shikoku, Kyushu).

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

131. *Lixus depressipennis* Roelofs, 1873  
Ann. Soc. Ent. Belg. 16:184.  
Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Tsushima), China.
132. *Lixus divaricatus* Motschulsky, 1860  
Et. Ent. 9:20.  
Distribution: Korea (Central, South), Japan (Hokkaido, Honshu), China, U.S.S.R. (Siberia).
133. *Lixus elongatus* Germar, 1824  
Ins. Spec. Nov.:395.  
Distribution: Korea (after Faust, 1891), U.S.S.R. (Siberia ?), China.
134. *Lixus imperessiventris* Roelofs, 1873  
Ann. Soc. Ent. Belg. 16:185.  
Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China, U.S.S.R. (Siberia).
135. *Lixus maculatus* Roelofs, 1873  
Ann. Soc. Ent. Belg. 16:185.  
Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Tsushima), China.
136. *Lixus subtilis* Boheman, 1836  
Gen. Spec. Curc. 3:73.  
Distribution: Korea (new record: Central, South), Japan (Kyushu), China, Europe.

Genus 72. *Larinus* Germar, 1824

137. *Larinus griseopilosus* Roelofs, 1873  
Ann. Soc. Ent. Belg. 16:182.  
*Larinus formosus* Petri, 1907, Verh. Nat. Ver. Brünn. 45:86.  
Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu).
138. *Larinus latissimus* Roelofs, 1873  
Ann. Soc. Ent. Belg. 16:182.  
*Larinus ovalis* Roelofs, 1873, Ibid. 16:183.  
Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).
139. *Larinus scabrirostris* Faldermann, 1835  
Mém. Acad. Sci. St. Pé. 2:429.  
Distribution: Korea (?), China (North), Mongolia, U.S.S.R. (Maritime Territory, Siberia).

Subfamily HYLOBINAE

Tribe Hylobiini

Genus 73. *Lepyrus* Schoenherr, 1826

140. *Lepyrus arcticus* (Paykull, 1792)

Mon. Cruc.:32.

Distribution: Korea (North, Central), U.S.S.R. (Maritime Territory, Sachalin, Siberia).

141. *Lepyrus japonicus* Roelofs, 1873

Ann. Soc. Ent. Belg. 16:186.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Kyushu), China (Hopeh, Shansi), U.S.S.R. (Maritime Territory).

142. *Lepyrus konoï* Zumpt, 1936

Publ. Mus. Ent. Pietr. Ross. 1:25.

Distribution: Korea (Central ?)

143. *Lepyrus nebulosus* Motschulsky, 1860

Schrenck's Reis. & Forsch. Am. 2:165-166, pl.10(8).

Distribution: Korea (New record; Central), Japan (Hokkaido, Honshu, Kyushu), China, U.S.S.R. (Maritime Territory, Siberia).

144. *Lepyrus nordenskioldi* Faust, 1885

Veg. Exp. Vet. Iakt. 4:34.

Distribution: Korea (new record: Chejudo), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (E. Siberia), Alaska.

Genus 74. *Hylobius* Germar, 1817

145. *Hylobius albosparsus* Boheman, 1845

Gen. Spec. Curc. 8(2):429.

Distribution: Korea (North ?), U.S.S.R. (E. Siberia, Sachalin).

Genus 75. *Hylobitelus* Reitter, 1923

146. *Hylobitelus gebleri* (Boheman, 1834)

Gen. Spec. Curc. 2:338.

*Hylobius signatipennis* Roelofs, 1873, Ann.Soc. Ent. Belg. 16:187.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Maritime Territory, Sachalin, Siberia).

147. *Hylobitelus haroldi* (Faust, 1882)

Deutsch. Ent. Zeitschr. 26(2):273-274.

Distribution: Korea (North, Central, South, Chejudo, Ullŭngdo), Japan (whole), U.S.S.R. (Maritime Territory).

148. *Hylobitelus montanus* (Kôno, 1934)

Journ. Fac. Agr. Hokk. Imp. Univ. 33(3):231.

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Distribution: Korea (Central), Japan (Hokkaido, Honshu), U.S.S.R. (Sachalin).

149. *Hylobitelus pinastri* (Gyllenhal, 1813)

Ins. Suec. 1(3):168.

*Hylobius pinastri karafutonis* Kôno, 1934, Journ. Fac. Agr. Hokk. Imp. Univ. 33(3):231.

*Hylobius pinastri montivagus* Nakane, 1964, Sci. Rep. Kyoto Pref. Univ. 15A:37.

Distribution: Korea (Central ?), Japan (Hokkaido, Honshu), U.S.S.R. (Sachalin, Siberia), Europe.

Genus 76. *Dyscerus* Faust, 1892

150. *Dyscerus exsculptus* (Roelofs, 1875)

Ann. Soc. Ent. Belg. 17:130.

*Hylobius freyi* Zumpt, 1932 Kol. Rundsch. 18:128.

*Hylobius matsumurai* Zumpt, 1938, Ent. Blätt. 34:82.

Distribution: Korea (Central ?), Japan (whole).

151. *Dyscerus koreanus* (Kôno, 1934)

Journ. Fac. Agr. Hokk. Imp. Univ. 33:233-234.

Distribution: Korea (North, Central, South), Japan (Honshu).

152. *Dyscerus orientalis* (Motschulsky, 1866)

Bull. Soc. Imp. Nat. Mosc. 39:180.

*Hylobius okinawanus* Kôno, 1934, Journ. Fac. Agr. Hokk. Imp. Univ. 33(3):237-238.

Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China.

153. *Dyscerus perforatus* (Roelofs, 1873)

Ann. Soc. Ent. Belg. 16:188.

*Dyscerus cribripennis* Matsumura et Kôno, 1928, Ins. Mats. 2:168.

Distribution: Korea (Central, South), Japan (whole), China.

Tribe Lithini

Genus 77. *Niphades* Pascoe, 1871

154. *Niphades variegatus* (Roelofs, 1873)

Ann. Soc. Ent. Belg. 16:191.

Distribution: Korea (Central), Japan (whole).

Subfamily BAGOINAE

Genus 78. *Bagous* Germar, 1817

155. *Bagous bipunctatus* (Kôno, 1934)

Journ. Fac. Agr. Hokk. Imp. Univ. 33:246.

Distribution: Korea (South), Japan (whole).

156. *Bagous kagiashi* Chûjo et Morimoto, 1959

Kontyû 27:150.

Distribution: Korea (South ?), Japan (Honshu, Shikoku, Kyushu, Ryukyus).

Subfamily TYCHIINAE

Tribe Tychiini

Genus 79. *Tychius* Schoenherr, 1826

157. *Tychius iwatensis* Kôno, 1930

Ins. Mats. 4(4):145.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu).

158. *Tychius ovalis* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:171.

Distribution: Korea (new record: Central, South), Japan (Honshu, Kyushu, Ryukyus).

Tribe Demimaeini

Genus 80. *Demimaea* Pascoe, 1870.

159. *Demimaea fascicularis* (Roelofs, 1879)

Ann. Soc. Ent. Belg. 22:54.

Distribution: Korea (new record: Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan).

Subfamily MAGDALINAE

Genus 81. *Magdalis* Germar, 1817

160. *Magdalis carbonaria* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):382.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu), U.S.S.R. (Sachalin, Siberia), Europe.

Subfamily CARCILIINAE

Genus 82. *Carcilia* Roelofs, 1874

161. *Carcilia strigicollis* Roelofs, 1874

Ann. Soc. Ent. Belg. 17:153.

Distribution: Korea (new record: Central, South), Japan (whole, Tsushima), China.

Subfamily CRYPTORHYNCHINAE



Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Tribe Ithyporini

Genus 83. *Ectatorhinus* Lacordaire, 1866

162. *Ectatorhinus adamsi* Pascoe, 1871

Journ. Linn. Soc. Zool. 11:478.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Genus 84. *Catabonops* Roelofs, 1875

163. *Catabonops monachus* Roelofs, 1875

Ann. Soc. Ent. Belg. 18:162.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu, Ryukyus).

Genus 85. *Colobodes* Schöenherr, 1837

164. *Colobodes matsumurai* Kôno, 1932

Ins. Mats. 6:179.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu).

Genus 86. *Acallinus* Morimoto, 1962

165. *Acallinus tuberculatus* Morimoto, 1962

Journ. Fac. Agr. Kyushu Univ. 11(4):338-339.

Distribution: Korea (new record: Central, Chejudo), Japan (Honshu, Kyushu), U.S.S.R. (E.Siberia).

Tribe Cryptorhynchini

Subtribe Cryptorhynchina

Genus 87. *Syrotelus* Pascoe, 1874

166. *Syrotelus septentrionalis* (Roelofs, 1875)

Ann. Soc. Ent. Belg. 18:132.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Kyushu, Tsushima), U.S.S.R. (Maritime Territory).

Genus 88. *Cryptorhynchus* Illiger, 1807

167. *Cryptorhynchus chinensis* (Olivier, 1790)

Encycl. Méth. 5:507.

Distribution: Korea (North, Central), China (Manchuria).

168. *Cryptorhynchus lapathi* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):379.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Kyushu), U.S.S.R. (Siberia), Europe, N.America.

Genus 89. *Shirahoshizo* Morimoto, 1962

169. *Shirahoshizo insidiosus* Roelofs, 1875  
Ann. Soc. Ent. Belg. 18:167.  
*Cryptorhynchus obscurus* Roelofs, 1879, Ibid. 22:54.  
Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).
170. *Shirahoshizo rufescens* (Roelofs, 1875)  
Ann. Soc. Ent. Belg. 18:166.  
Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus).
171. *Shirahoshizo tamanukii* (Kôno, 1938)  
Ins. Mats. 12:144.  
Distribution: Korea (new record: South), Japan (Hokkaido, Honshu).

Genus 90. *Caenocryptorrhynchus* Morimoto, 1962

172. *Caenocryptorrhynchus frontalis* Morimoto, 1962  
Journ. Fac. Agr. Kyushu Univ. 11(4):396-397.  
Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Genus 91. *Eucryptorrhynchus* Heller, 1925

173. *Eucryptorrhynchus brandti* (Harold, 1881)  
Distribution: Korea (North, Central, South), China (Hopeh, Shansi).

Genus 92. *Sternochetus* Pierce, 1917

174. *Sternochetus navicularis* (Roelofs, 1875)  
Ann. Soc. Ent. Belg. 18:165.  
Distribution: Korea (new record: Chejudo), Japan (Honshu, Shikoku, Kyushu).

Subfamily CEUTORHYNCHINAE

Tribe Rhinoncini

Genus 93. *Rhinoncus* Stephens, 1831  
Subgenus *Rhinoncus*

175. *Rhinoncus* (s. str.) *cribricollis* Hustache, 1916  
Ann. Soc. Ent. Franc. 85:111.  
*Rhinoncus uchidai* Kôno, 1935, Ins. Mats. 10:60.  
Distribution: Korea (new record: Central, South, Ullŭngdo), Japan (whole).
176. *Rhinoncus* (s. str.) *jakovlevi* Faust, 1893  
Deutsch. Ent. Zeitschr. 37(2):205.

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Distribution: Korea (Chejudo), Japan (whole), U.S.S.R. (E. Siberia).

177. *Rhinoncus* (s. str.) *sibiricus* Faust, 1893

Deutsch. Ent. Zeitschr. 37(2):205.

*Rhinoncus sulcipennis* Schultze, 1898, Ibid. 42:233.

Distribution: Korea (new record: Central South), Japan (whole), China (Shansi, Taiwan), U.S.S.R. (E. Siberia, Maritime Territory).

Subgenus *Amalorhinoncus*

178. *Rhinoncus* (*Amalorhinoncus*) *perpendicularis* (Reich, 1797)

Mant. Ins.:10.

Distribution: Korea (new record: Central South, Chejudo), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia), Europe.

Tribe Ceutorhynchini

Genus 94. *Craponius* Laconte, 1876

179. *Craponius bigibbosus* Hustache, 1916

Ann. Soc. Ent. Franc. 85:120.

*Phytobiomorphus alternanus* Voss, 1958, Dech. Beih. 5:65.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China.

Genus 95. *Homorosoma* Frivaldsky, 1893

180. *Homorosoma asper* (Roelofs, 1875)

Ann. Soc. Ent. Belg. 18:177.

Distribution: Korea (Central, South), Japan (whole), China, U.S.S.R. (Maritime Territory).

181. *Homorosoma chinensis* (Wagner, 1936)

Ent. Blätt. 32:178.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu), China.

Genus 96. *Ceutorhynchus* Germar, 1824

182. *Ceutorhynchus ibukianus* (Hustache, 1916)

Ann. Soc. Ent. Franc. 85:143-144.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

183. *Ceutorhynchus shaowuensis* (Voss, 1920)

Deutsch. Ent. Zeitschr.:161.

Distribution: Korea (new record: Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China.

Subfamily ZYGOPINAE

Tribe Othippiini

Genus 97. *Egiona* Pascoe, 1874

184. *Egiona konoï* Nakane, 1963

Fragm. Col. 10:39.

Distribution: Korea (new record: South), Japan (whole, Tsushima).

Tribe Coryssomerini

Genus 98. *Metialma* Pascoe, 1871

185. *Metialma cordata* Marshall, 1948

Nov. Zool. 42:451.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Kyushu), China (Mainland, Taiwan), Burma.

186. *Metialma pusilla* Roelofs, 1875

Ann. Soc. Ent. Belg. 18:175.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu).

Subfamily ANTHONOMINAE

Tribe Bradybatini

Genus 99. *Bradybatus* Germar, 1824

187. *Bradybatus limbatus* Roelofs, 1875

Ann. Soc. Ent. Belg. 18:191.

Distribution: Korea (new record: Central, South, Chejudo), Japan (whole).

188. *Bradybatus sharpi* Tournier, 1873

Mitt. Schweiz. Ent. Ges. 4:180.

Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (E.Siberia).

Tribe Anthonomini

Genus 100. *Anthonomus* Germar, 1817

189. *Anthonomus bisignifer* Schenkling, 1934

Col. Cat. 139:16.

*Anthonomus bisignatus* Roelofs, 1874, Ann. Soc. Ent. Belg. 17:162 nom. praeocc.

Distribution: Korea (North, Central, South), Japan (whole), U.S.S.R. (Sachalin).

190. *Anthonomus pomorum* (Linnaeus, 1758)

Syst. Nat. ed.10(1):381.

Distribution: Korea (Central), Japan (Honshu), U.S.S.R. (Siberia), Europe.

191. *Anthonomus rectirostris* (Linnaeus, 1758)

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

Syst. Nat. ed.10(1):383.

Distribution: Korea (Central), Japan (whole), U.S.S.R. (Siberia), Europe.

192. *Anthonomus yuasai* Kôno, 1939

Ins. Mats. 13:79.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu).

Subfamily ACALYPTINAE

Genus 101. *Acalyptus* Schoenherr, 1836

193. *Acalyptus carpini* (Fabricius, 1792)

Ent. Syst. 1(2):409.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

194. *Acalyptus trifasciatus* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:124.

Distribution: Korea (new record: Chejudo), Japan (Shikoku, Kyushu).

Subfamily BARINAE

Genus 102. *Barinomorphus* Morimoto, 1962

195. *Barinomorphus antennatus* Morimoto, 1962

Journ. Fac. Agr. Kyushu Univ. 11(4):378-379.

Distribution: Korea (new record: South), Japan (Kyushu).

Genus 103. *Baris* Germar, 1824

196. *Baris coreana* Kolbe, 1886

Arch. f. Nat. 52(1):218-219.

Distribution: Korea (Central ?).

197. *Baris deplanata* Roelofs, 1875

Ann. Soc. Ent. Belg. 18:183.

Distribution: Korea (new record: South, Ullŭngdo), Japan (Honshu, Shikoku, Kyushu).

198. *Baris dispilota* (Solsky, 1870)

Hor. Soc. Ent. Ross. 6:312.

*Baridius davidi* Fairmaire, 1878, Ann. Soc. Ent. Franc. 5,8:127.

*Baridius Reini* Roelofs, 1879, Ann. Soc. Ent. Belg. 22:54.

Distribution: Korea (North, Central, South, Chejudo, Ullŭngdo), Japan (whole), China (Mainland, Manchuria), U.S.S.R. (Siberia).

199. *Baris ezoana* Kôno, 1940

Ins. Mats. 14:78.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu, Kyushu).

200. *Baris orientalis* Roelofs, 1875

Ann. Soc. Ent. Belg. 18:184.

Distribution: Korea (new record: Central, South, Chejudo, Ullungdo), Japan (Honshu, Shikoku, Kyushu). China (South).

Subfamily CIONINAE

Genus 104. *Cionus* Clairville, 1798

201. *Cionus tamazo* Kôno, 1930

Ins. Mats. 4:149.

Distribution: Korea (new record: Central, South), Japan (whole), China (Mainland).

Subfamily RHYNCHAENINAE

Tribe Rhynchaenini

Genus 105. *Rhamphus* Clairville, 1798

202. *Rhamphus pulicarius* (Herbst, 1795)

Nat. Ins. Käf. 6:429.

*Rhamphus flavicornis* Clairville, 1798, Ent. Helv. 1:104.

*Rhamphus pullus* Hustache, 1920, Bull. Mus. Hist. Nat. Paris 6:635.

Distribution: Korea (Central, South), Japan (whole, Tsushima), China (Mainland, Taiwan), U.S.S.R. (Kuriles, Sachalin, Siberia).

Genus 106. *Rhynchaenus* Clairville et Schellenberg, 1798

Subgenus *Tachyerges*

203. *Rhynchaenus (Tachyerges) stigma* (Germar, 1805)

Mag. Ent. 4:334.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

204. *Rhynchaenus (Tachyerges) salicis* (Linnaeus, 1758)

Syst. Nat. ed.10(1):381.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Sachalin, Siberia), Europe.

Subgenus *Orchestes*

205. *Rhynchaenus (Orchestes) excellens* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:164.

Distribution: Korea (Central), Japan (Honshu, Kyushu).

Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

206. *Rhynchaenus (Orchestes) japonicus* (Hustache, 1920)

Bull. Mus. Hist. Nat. Paris 6:632.

Distribution: Korea (new record: Central, South, Chejudo), Japan (Hokkaido, Honshu, Kyushu).

207. *Rhynchaenus (Orchestes) mutabilis* (Boheman, 1843)

Gén. Spéc. Curc. 7(2):372.

Distribution: Korea (new record: Central, South, Ullŭngdo), Japan (Hokkaido, Honshu), U.S.S.R. (E.Siberia, Maritime Territory, Sachalin).

208. *Rhynchaenus (Orchestes) nomizo* (Kôno, 1930)

Ins. Mats. 5:26.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu), U.S.S.R. (Sachalin).

209. *Rhynchaenus (Orchestes) sanguinipes* (Roelofs, 1874)

Ann. Soc. Ent. Belg. 17:165.

Distribution: Korea (new record: Central, South, Chejudo, Ullŭng), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Subfamily GYMNETRINAE

Genus 107. *Miarus* Stephens, 1831

210. *Miarus atricolor* Morimoto, 1983

Esakia 20:54.

Distribution: Korea (new record: Central, South), Japan (Honshu).

211. *Miarus kobanzo* Kôno, 1930

Ins. Mats. 4:148.

Distribution: Korea (new record: Central, South), Japan (Honshu).

Subfamily COSSONINAE

Genus 108. *Phloeophagosoma* Wollaston, 1873

212. *Phloeophagosoma curvirostre* Wollaston, 1873

Trans. Ent. Soc. Lond.:26.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Genus 109. *Dryotribus*

213. *Dryotribus mimeticus* Horn

Distribution: Korea (new record: Central), Japan (Honshu, Kyushu, Ryukyus).

Genus 110. *Xenomimetes* Wollaston, 1873

214. *Xenomimetes destructor* Wollaston, 1873  
 Trans. Ent. Soc. Lond.:36.  
*Xenomimetes todomatsuanus* Kôno, 1935, Ins. Mats. 10:55.  
 Distribution: Korea (new record: Ullŭngdo), Japan (whole).

Genus 111. *Heterarthrus* Wollaston, 1873

215. *Heterarthrus lewisi* Wollaston, 1873  
 Trans. Ent. Soc. Lond.:31.  
 Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Family V. RHYNCHOPHORIDAE

Subfamily STROMBOSKERINAE

Tribe Orthognathini

Genus 112. *Sipalinus* Marshall, 1943

216. *Sipalinus gigas gigas* (Fabricius, 1775)  
 Syst. El.:127.  
*Sipalus hypocritus* Bohemen, 1845, Gen. Spec. Curc. 8(2):209.  
*Sipalus formosanus* Kôno, 1934, Ins. Mats. 9:7.  
 Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (North).

Tribe Stromboscerini

Genus 113. *Synommatoides* Morimoto, 1978

217. *Synommatoides shirozui* Morimoto, 1978  
 Esakia. 12:104-105.  
 Distribution: Korea (Chejudo), Japan (Ryukyus, Yakushima).

Subfamily CRYPTODERMINAE

Genus 114. *Cryptoderma* Ritsema

218. *Cryptoderma fortunei* Waterhouse, 1853  
 Trans. Ent. Soc. Lond. 2:1.  
 Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China.

Subfamily RHYNCHOPHORINAE

Tribe Rhynchophorini

Genus 115. *Otidognathus* Lacordaire, 1866

219. *Otidognathus jansoni* Roelofs, 1875  
 Ann. Soc. Ent. Belg. 18:186.



Y.J. KWON, S.M. LEE: Check List of Weevils from Korea

*Otidognathus nigropictus* Fairmaire, 1878, Ann. Soc. Ent. Franc. 5, 8:128.

*Otidognathus maculipennis* Voss, 1931, Ent. Blätt. 27:38.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu, Nakanoshima), China.

Genus 116. *Aplotes* Chevrolat, 1885

220. *Aplotes roelofsi* (Chevrolat, 1882)

Ann. Soc. Ent. Franc. 6(2):159.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu), China.

Tribe Sitophilini

Genus 117. *Sitophilus* Schöenherr, 1838

221. *Sitophilus oryzae* (Linnaeus, 1796)

Amoen. Acad. 6:395.

*Calandra sasakii* Takahashi, 1928, Sak. Gaich.:164.

Distribution: Korea (whole), Japan, China, U.S.S.R., Europe, Cosmopolitan.

222. *Sitophilus zeamais* Motschulsky, 1855

Ét. Ent. 4:77.

Distribution: Korea (whole), Japan, China, U.S.S.R., Europe etc. Cosmopolitan.